

- Panel thickness = 41mm
- Can be made any size up to 2650 x1350mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium



Type: Strata

Version: 2.0

Code: Strata 4P



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1190mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Strata

Version: 2.0

Code: Strata 10TV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1350mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- This panel is single glazed in any 6mm glass required.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium



Type: Strata

Version: 2.0

Code: Strata 11T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1350mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- This panel is single glazed in any 6mm glass required.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Strata

Version: 2.0

Code: Strata 14T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1350mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- This panel is single glazed in any 6mm glass required.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Strata

Version: 2.0

Code: Strata 24L



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any height up to 2650mm and powdercoated in any standard colour.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium



Type: Strata

Version: 2.0

Code: Strata TGV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any height up to 2650mm and powdercoated in any standard colour.
- This panel is double glazed (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Strata

Version: 2.0

Code: Strata TGVVP10



www.parkwooddoors.co.nz
www.parkwooddoors.com.au





- Panel thickness = 42mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium skin and aluminium honeycombe core.
- Panels are thermally enhanced.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
 Type: Thermtek
 Version: 2.0

Code: **Thermtek 3HV**



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1210mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- Panels are thermally enhanced.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium



Type: Thermtek

Version: 2.0

Code: Thermtek 4P



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2650 x1210mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium

Type: Thermtek




Version: 2.0

Code: Thermtek 4P O/T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au

VARIES WITH
DOOR WIDTH



- Panel thickness = 41mm
- Can be made any size up to 2650 x1210mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium

Type: Thermtek



Version: 2.0

Code: Thermtek 11T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au

VARIES WITH
DOOR WIDTH



- Panel thickness = 41mm
- Can be made any size up to 2650 x1210mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Thermtek

Version: 2.0

Code: Thermtek 14T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 41mm
- Can be made any size up to 2450 x1210mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium




Type: Thermtek

Version: 2.0

Code: Thermtek 24L



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 42mm
- Can be made any size up to 2400 x 1200mm.
- Panels are made with aluminium honeycomb core with the outside face of the honeycomb powdercoated.
- Finish: Specialist powder coated to any colour available.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium


Type: Thermtek

Version: 2.0

Code: Thermtek CFL



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



NO OF 'V's DEPENDANT ON DOOR SIZE:

300mm < 412mm:	2
412mm < 528mm:	3
528mm < 644mm:	4
644mm < 760mm:	5
760mm < 876mm:	6
876mm < 1000mm:	7

- Panel thickness = 42mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium skin and aluminium honeycombe core.
- Panels are thermally enhanced.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium

Type: Thermtek

Version: 2.0

Code: Thermtek TGV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au